# FACSIMILE TRANSMISSION

To:

Mail Stop:

UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED CENTRAL FAX CENTER

APR 2 6 2005

Facsimile No.: 703-872-9306

No. of Pages (including this page): 11

IF YOU DO NOT RECEIVE CLEARLY ALL PAGES, PLEASE CONTACT US IMMEDIATELY BY TELEPHONE AT (202) 543-6404

USPTO: PLEASE ACKNOWLEDGE CLEAR RECEIPT OF ALL PAGES INDICATED ABOVE BY FAXING THIS PAGE BACK TO (202) 543-6406

In re PATENT APPLICATION OF:

GUEMMER, Volker

Atty. Dkt.:

2560-0412

Appln. No.:

10/622,135

Group Art:

3745

Filing Date:

July 18, 2003

Examiner:

McAleenan, James

Title:

FLUID-FLOW MACHINE WITH INTEGRATED

FLUID CIRCULATION SYSTEM

Date:

April 26, 2005

Name of paper being transmitted:

Amendment

Message:

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to the Patent and Trademark Office at the above fax number on the date shown below.

Name: Timothy J. Klima

Date: April 26, 2005

Harbin King & Klima 500 Ninth Street, SE Washington, DC 20003 (202) 543-6404 Phone (202) 543-6406 Fax

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re: PATENT APPLICATION of:

Hon. Commissioner of Patents

Inventor(s):

GUEMMER, Volker

Atty. Dkt.

2560-0412

Appln. No.:

10 / 622,135

Group Art::

3745

Filed:

July 18, 2003

Examiner:

McAleenan, J.

FLUID-FLOW MACHINE WITH INTEGRATED

Date:

April 26, 2005

Title:

FLUID CIRCULATION SYSTEM

REPLY/AMENDMENT/LETTER TRANSMITTAL COVER SHEET

RECEIVED CENTRAL FAX CENTER

APR 2 6 2005

Alexandria, VA 22313-1450

Sir:

P.O. Box 1450

This is a reply/amendment/letter in the above-identified application and includes the attachments hereto. The signature below is treated as the signature to the attachments in the absence of a signature thereto.

#### FEE REQUIREMENTS FOR CLAIMS AS AMENDED

			Large/Small Entity	
25	Minus # Paid For 25 =	0	X \$50 / \$25 =	+0
1	Minus # Paid For 3 =	0	X \$200 / \$100 =	+0
			\$360 / \$180 =	+0
4, 2005	5			
Petition is hereby made to extend the <u>original</u> due date to 2 mos. cover the date this response is filed for which the requisite fee 3 mos. 4 mos.			\$120 / \$60 = \$450 / \$225 = \$1020 / \$510 = \$1590 / \$795 =	+
6. Petition Fee			\$130	+0
8. Total Fee Enclosed:				\$0
	per multi (leave to y 4, 2005	1 Minus # Paid For 3 =  per multiple dependent claim(s) into this (leave this line blank if this is reissue apy 4, 2005  to extend the original due date to	1 Minus # Paid For 3 = 0  per multiple dependent claim(s) into this (leave this line blank if this is reissue application)  y 4, 2005  to extend the original due date to nse is filed for which the requisite fee  1 mo. 2 mos. 3 mos.	25   Minus # Paid For 25 =   0   X \$50 / \$25 =     1

9. Please charge the total fee to our Deposit Account No.: 50-3272 under our Order No. (Matter No.): 2560-0412

CHARGE STATEMENT: The Commissioner is hereby authorized to charge any fee specifically authorized hereafter, or any missing or insufficient fee(s) filed, or asserted to be filed, or which should have been filed herewith or concerning any paper filed hereafter, and which may be required under Rules 16-18 (missing or insufficiencies only) now or hereafter relative to this application and the resulting Official document under Rule 20, or gredit any overpayment, to our Account/Order Nos. shown in the heading hereof for which purpose a duplicate copy of this sheet is attached.

Harbin King & Klima 500 Ninth Street, SE Washington, DC 20003 Phone: 202-543-6404 Fax: 202-543-6406

By:

Timothy J. Klima

Respectfully submitted,

Reg. No.: 34,852

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION OF:

GUEMMER, Volker

Atty. Dkt.:

2560-0412

Appln. No.:

10/622,135

Group Art:

3745

Filing Date:

July 18, 2003

Examiner:

McAleenan, James

Title:

FLUID-FLOW MACHINE WITH INTEGRATED FLUID CIRCULATION SYSTEM

Date:

April 26, 2005

#### **AMENDMENT**

CENTRAL FAX CENTER
APR 2 6 2005

Hon. Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the outstanding Official Action dated November 15, 2004 and the Notice of Non-Compliant Amendment dated April 4, 2005, please amend the subject application as follows: